

LEDZED Aluminium profiles

LED aluminium profiles



LEDZED Aluminium profiles



LED aluminium profiles

Item	Leds	Colours available	Base	Herz	Voltage range	Power consumption	Lifetime	Kelvins (K)	View angle (°)	Working temperature
LED aluminium profile linear strip 100 cm (W2,4cm, H1,0cm), waterproof IP68	108 leds	warm and cool white, red, green, blue, yellow	aluminium profile	50-60Hz	12V DC / 24V DC	10W	100 000 h	2800-3300K, 4000-4500K, 5500-6000K	120°	-30 - 70 °C
LED aluminium profile linear strip 100 cm (W2,4cm, H1,0cm), waterproof IP68	144 leds	changing RGB	aluminium profile	50-60Hz	12V DC / 24V DC, requires driver	10W	100 000 h	2800-3300K, 4000-4500K, 5500-6000K	120°	-30 - 70 °C
LED aluminium profile linear strip 50 cm (W2,4cm, H1,0cm), waterproof IP68	54 leds	warm and cool white, red, green, blue, yellow	aluminium profile	50-60Hz	12V DC / 24V DC	5,5W	100 000 h	2800-3300K, 4000-4500K, 5500-6000K	120°	-30 - 70 °C
LED aluminium profile linear strip 50 cm (W2,4cm, H1,0cm), waterproof IP68	72 leds	changing RGB	aluminium profile	50-60Hz	12V DC / 24V DC, requires driver	5,5W	100 000 h	2800-3300K, 4000-4500K, 5500-6000K	120°	-30 - 70 °C
LED aluminium profile linear strip 25 cm (W2,4cm, H1,0cm), waterproof IP68	27 leds	warm and cool white, red, green, blue, yellow	aluminium profile	50-60Hz	12V DC / 24V DC	3W	100 000 h	2800-3300K, 4000-4500K, 5500-6000K	120°	-30 - 70 °C

Custom lengths also possible

LEDZED Aluminium profiles



LED aluminium profiles



Applications: LED aluminium profiles can be used to create a new kind of lighting for different places. The profiles are perfect for example inside cabinets, under the cabinets for worktop illumination, in wardrobes and showcases to light up the space. The color temperature can be chosen when ordering.