

# LEDZED Street lights

LED street lights



# LEDZED Street lights

LED street lights



# LEDZED Street lights



## LED street lights

Item	Leds	Colours available	Base	Herz	Voltage range	Power consumption	Lifetime	Kelvins (K)	View angle (°)	Working temperature (°C)
LED street light E40 255 x 110 x 80, weight 1.5 kg, IP60	30 x 1W	warm and cool white	E40	47-63Hz	85-264V AC, 24V DC	33W	50 000 h	2700 - 7000K	60°/120°	-40 - 50 °C
LED street light 495 x 315 x 80 mm, weight 8 kg, IP65	60 x 1W	warm and cool white	aluminium alloy and PC	47-63Hz	85-264V AC, 24V DC	65 W	50 000 h	2700 - 7000K	60°/120°	-40 - 50 °C
LED street light 620 x 315 x 80 mm, weight 11 kg, IP65	120 x 1 W	warm and cool white	aluminium alloy and PC	47-63Hz	85-264V AC, 24V DC	125 W	50 000 h	2700 - 7000K	60°/120°	-40 - 50 °C
LED street light 910 x 315 x 80 mm, weight 14 kg, IP65	180 x 1W	warm and cool white	aluminium alloy and PC	47-63Hz	85-264V AC, 24V DC	185 W	50 000 h	2700 - 7000K	60°/120°	-40 - 50 °C
LED tunnel light 325 x 210 x 100 mm, weight 4,8 kg, IP65	56 x 1W	warm and cool white	aluminium alloy and PC	47-63Hz	85-264V AC, 24V DC	56 W	50 000 h	2700 - 7000K	60°/120°	-40 - 50 °C

# LEDZED Street lights

LED street lights



# LEDZED Street lights

LED street lights

